

AIR IMPACT WRENCH & RATCHET WRENCH



UI-1001
3/8" Air Impact Wrench

Square Drive: 3/8"
Capacity Bolt Size: 9/16" (14mm)

Free Speed: 10000rpm
Max Torque: 520N-m/380ft-lb
Air Consumption: 4.0cfm
Air Inlet: 1/4"
Weight: 3.52lbs/1.6kgs



UI-1002
1/2" Air Impact Wrench

Square Drive: 1/2"
Capacity Bolt Size: 5/8" (16mm)

Free Speed: 7000rpm
Max Torque: 650N-m/480ft-lb
Air Consumption: 7.0cfm
Air Inlet: 1/4"
Weight: 5.8lbs/2.6kgs



UI-1003
1/2" Air Impact Wrench

Square Drive: 1/2"
Free Speed: 7000rpm

Max Torque: 850N-m/625ft-lb
AVG. Air Consumption: 7.0cfm
Air Pressure: 90psi/ 6.3bar
Air Inlet: 1/4"
Weight: 6.25lbs/2.84kgs



UI-1004
1/2" Air Impact Wrench

Square Drive: 1/2"
Free Speed: 8000rpm

Max Torque: 780N-m/540ft-lb
AVG. Air Consumption: 7.0cfm
Air Pressure: 90psi/ 6.3bar
Air Inlet: 1/4"
Weight: 6.29lbs/2.86kgs



UI-1005
1/2" Air Impact Wrench

Square Drive: 1/2"
Free Speed: 7000rpm

Max Torque: 850N-m/625ft-lb
AVG. Air Consumption: 7.0cfm
Air Pressure: 90psi/ 6.3bar
Air Inlet: 1/4"
Weight: 6.6lbs/3.0kgs



UI-1006
1/2" Air Impact Wrench

Square Drive: 1/2"
Free Speed: 8000rpm

Max Torque: 720N-m/530ft-lb
AVG. Air Consumption: 7.0cfm
Air Pressure: 90psi/ 6.3bar
Air Inlet: 1/4"
Weight: 5.94lbs/2.7kgs



UI-1007
1/2" Air Impact Wrench

Square Drive: 1/2"
Free Speed: 6800rpm

Max Torque: 850N-m/625ft-lb
AVG. Air Consumption: 7.0cfm
Air Pressure: 90psi/ 6.3bar
Air Inlet: 1/4"
Weight: 6.6lbs/3.0kgs



UI-1008
1/2" Air Impact Wrench

Square Drive: 1/2"
Free Speed: 8000rpm

Max Torque: 850N-m/625ft-lb
AVG. Air Consumption: 7.0cfm
Air Pressure: 90psi/ 6.3bar
Air Inlet: 1/4"
Weight: 6.25lbs/2.84kgs



UI-1009
1/2" Air Composite Impact Wrench

Square Drive: 1/2"
Free Speed: 8000rpm

Max Torque: 850N-m/625ft-lb
AVG. Air Consumption: 7.0cfm
Air Pressure: 90psi/ 6.3bar
Air Inlet: 1/4"
Weight: 4.88lbs/2.22kgs



UI-1101
3/4" Air Impact Wrench

Square Drive: 3/4"
Free Speed: 4500rpm

Max Torque: 1200N-m/885ft-lb
AVG. Air Consumption: 8.0cfm
Air Pressure: 90psi/ 6.3bar
Air Inlet: 1/4"
Weight: 10.6lbs/4.82kgs



UI-1102
3/4" Air Impact Wrench

Square Drive: 3/4"
Free Speed: 5000rpm

Max Torque: 1300N-m/960ft-lb
AVG. Air Consumption: 12.0cfm
Air Pressure: 90psi/ 6.3bar
Air Inlet: 1/4"
Weight: 10.34lbs/4.7kgs



UI-1103
3/4" Air Impact Wrench

Square Drive: 3/4"
Free Speed: 4300rpm

Max Torque: 1800N-m/1300ft-lb
AVG. Air Consumption: 8.0cfm
Air Pressure: 90psi/ 6.3bar
Air Inlet: 1/4"
Weight: 17.6lbs/8.0kgs



UI-1104
3/4" Air Impact Wrench

Square Drive: 3/4" (1")
Free Speed: 4200rpm

Max Torque: 1600N-m/1180ft-lb
AVG. Air Consumption: 8.0cfm
Air Pressure: 90psi/ 6.3bar
Air Inlet: 3/8"
Weight: 15.4lbs/7.0kgs



UI-1201
1" Air Impact Wrench

Square Drive: 1"
Free Speed: 5000rpm

Max Torque: 1800N-m/1300ft-lb
AVG. Air Consumption: 10.0cfm
Air Pressure: 90psi/ 6.3bar
Air Inlet: 3/8"
Weight: 21.8lbs/9.9kgs



UI-1202
1" Air Impact Wrench

Square Drive: 1"
Free Speed: 4000rpm

Max Torque: 2600N-m/1920ft-lb
AVG. Air Consumption: 18.0cfm
Air Pressure: 90psi/ 6.3bar
Air Inlet: 1/2"
Weight: 26.4lbs/12.0kgs



UI-1203
1" Air Impact Wrench

Square Drive: 1"
Free Speed: 4000rpm

Max Torque: 2400N-m/1770ft-lb
AVG. Air Consumption: 23.0cfm
Air Pressure: 90psi/ 6.3bar
Air Inlet: 1/2"
Weight: 29.70lbs/13.50kgs

AIR IMPACT WRENCH & RATCHET WRENCH



UI-1204
1" Air Impact Wrench

Square Drive:1"
Free Speed:4000rpm

Max Torque:2440N-m/1800ft-lb
AVG. Air Consumption:18.0cfm
Air Pressure:90psi/ 6.3bar
Air Inlet:1/2"
Weight:28lbs/12.5kgs



UI-1205
1" Air Impact Wrench

Square Drive:1"
Free Speed:3200rpm

Max Torque:3200N-m/2360ft-lb
AVG. Air Consumption:18.0cfm
Air Pressure:90psi/ 6.3bar
Air Inlet:1/2"
Weight:35.4lbs/16.1kgs



UI-1206
1" Air Impact Wrench

Square Drive:1"
Free Speed:3500rpm

Max Torque:3200N-m/2360ft-lb
AVG. Air Consumption:18.0cfm
Air Pressure:90psi/ 6.3bar
Air Inlet:1/2"
Weight:36.3lbs/16.5kgs



UI-1207
1" Air Impact Wrench

Square Drive:1"
Free Speed:3000rpm

Max Torque:3600N-m/2660ft-lb
AVG. Air Consumption:18.0cfm
Air Pressure:90psi/ 6.3bar
Air Inlet:1/2"
Weight:41.4lbs/18.8kgs



UI-1208
1" Air Impact Wrench

Square Drive:1"
Free Speed:3000rpm

Max Torque:3800N-m/2800ft-lb
AVG. Air Consumption:18.0cfm
Air Pressure:90psi/ 6.3bar
Air Inlet:1/2"
Weight:36.1lbs/16.4kgs



UI-1209
1" Air Impact Wrench

Square Drive:1"
Free Speed:5000rpm

Max Torque:4800N-m/3600ft-lb
AVG. Air Consumption:18.0cfm
Air Pressure:90psi/ 6.3bar
Air Inlet:1/2"
Weight:44.73lbs/20.24kgs



UI-2101/2102
1/4" (3/8") Air Ratchet Wrench

Square Drive:1/4"(3/8")
Free Speed:265rpm

Max Torque:20N-m/15ft-lb
AVG. Air Consumption:5.0cfm
Air Pressure:90psi/ 6.3bar
Air Inlet:1/4"
Weight:1.12lbs/0.51kgs



UI-2103/2104
1/2" (3/8") Air Ratchet Wrench

Square Drive:1/2"(3/8")
Free Speed:160rpm

Max Torque:88N-m/65ft-lb
AVG. Air Consumption:3.0cfm
Air Pressure:90psi/ 6.3bar
Air Inlet:1/4"
Weight:2.57lbs/1.17kgs

AIR SANDER



UI-5101
5" (6") Non-Vacuum Air Orbital Sander

Sanding Pad:5"(125mm)/6"(152mm)

Free Speed:10000rpm
AVG. Air Consumption:6.5cfm
Air Pressure:90psi/ 6.3bar
Air Inlet:1/4"
Weight:2.16lbs/0.98kgs



UI-5102
5" (6") Non-Vacuum Air Orbital Sander

Sanding Pad:5"(125mm)/6"(152mm)

Free Speed:10000rpm
AVG. Air Consumption:6.5cfm
Air Pressure:90psi/ 6.3bar
Air Inlet:1/4"
Weight:2.16lbs/0.98kgs



UI-5103
5" (6") Non-Vacuum Air Orbital Sander

Sanding Pad:5"(125mm)/6"(152mm)

Free Speed:12000rpm
AVG. Air Consumption:6.5cfm
Air Pressure:90psi/ 6.3bar
Air Inlet:1/4"
Weight:1.72lbs/0.78kgs



UI-5104
5" (6") Non-Vacuum Air Orbital Sander

Sanding Pad:5"(125mm)/6"(152mm)

Free Speed:12000rpm
AVG. Air Consumption:6.5cfm
Air Pressure:90psi/ 6.3bar
Air Inlet:1/4"
Weight:1.94lbs/0.88kgs



UI-5105
5" (6") Non-Vacuum Air Orbital Sander

Sanding Pad:5"(125mm)/6"(152mm)

Free Speed:12000rpm
AVG. Air Consumption:6.5cfm
Air Pressure:90psi/ 6.3bar
Air Inlet:1/4"
Weight:1.94lbs/0.88kgs



UI-5106VAC
5"(6") Self-Vacuum Air Orbital Sander

Sanding Pad: 5"(125mm)/6"(152mm)

Free Speed:12000rpm
AVG. Air Consumption:6.5cfm
Air Pressure:90psi/ 6.3bar
Air Inlet:1/4"
Weight:2.55lbs/1.16kgs

AIR SANDER



UI-5107VAC
5"(6") Self-Vacuum
Air Orbital Sander

Sanding Pad:5"(125mm)/6"(152mm)

Free Speed:12000rpm
AVG. Air Consumption:6.5cfm
Air Pressure:90psi/ 6.3bar
Air Inlet:1/4"
Weight:2.18lbs/0.99kgs



UI-5108VAC
5"(6") Self-Vacuum
Air Orbital Sander

Sanding Pad:5"(125mm)/6"(152mm)

Free Speed:12000rpm
AVG. Air Consumption:6.5cfm
Air Pressure:90psi/ 6.3bar
Air Inlet:1/4"
Weight:2.18lbs/0.99kgs



UI-5109
5"(6") Non-Vacuum
Air Orbital Sander

Sanding Pad:5"(125mm)/6"(152mm)

Free Speed:12000rpm
AVG. Air Consumption:8.0cfm
Air Pressure:90psi/ 6.3bar
Air Inlet:1/4"
Weight:1.63lbs/0.74kgs



UI-5110
5" (6") Center Vacuum
Air Orbital Sander

Sanding Pad:5"(125mm)/6"(152mm)

Free Speed:12000rpm
AVG. Air Consumption:8.0cfm
Air Pressure:90psi/ 6.3bar
Air Inlet:1/4"
Weight:1.92lbs/0.87kgs



UI-5112
3 inch Non-Orbital Air Sander

Sanding Pad:3"/76mm

Free Speed:12000rpm
AVG. Air Consumption:6.5cfm
Air Pressure:90psi/ 6.3bar
Air Inlet:1/4"
Weight:1.45lbs/0.66kgs



UI-5113
4 inch Non-Orbital Air Sander

Sanding Pad:4"/100mm

Free Speed:12000rpm
AVG. Air Consumption:6.5cfm
Air Pressure:90psi/ 6.3bar
Air Inlet:1/4"
Weight:1.65lbs/0.75kgs



UI-5201
5" High Speed Air Sander

Sanding Pad:3",4.5",5"

Free Speed:18000rpm
AVG. Air Consumption:6.0cfm
Air Pressure:90psi/ 6.3bar
Air Inlet:1/4"
Weight:2.07lbs/0.94kgs



UI-5202
2"(3") Air Angle Sander

Sanding Pad:2"(3")/50.8mm(70.6mm)

Free Speed:2200rpm
AVG. Air Consumption:5.0cfm
Air Pressure:90psi/ 6.3bar
Air Inlet:1/4"
Weight:1.65lbs/0.75kgs



UI-5203
2" High Speed Air Angle Sander

Sanding Pad:2"/50.8mm

Free Speed:15000rpm
AVG. Air Consumption:3.0cfm
Air Pressure:90psi/ 6.3bar
Air Inlet:1/4"
Weight:1.32lbs/0.6kgs



UI-5204
2" Mini Air Angle Sander

Sanding Pad:2"/50.8mm

Free Speed:15000rpm
AVG. Air Consumption:6.0cfm
Air Pressure:90psi/ 6.3bar
Air Inlet:1/4"
Weight:1.54lbs/0.70kgs



UI-5205
Air Finger Sander

Sanding Pad:18*60mm

Free Speed:15000rpm
AVG. Air Consumption:6.0cfm
Air Pressure:90psi/ 6.3bar
Air Inlet:1/4"
Weight:1.54lbs/0.70kgs



UI-5301
Air Jitterbug Sander

Sanding Pad:88.9*165.1mm

Free Speed:9000rpm
AVG. Air Consumption:4.5cfm
Air Pressure:90psi/ 6.3bar
Air Inlet:1/4"
Weight:3.87lbs/1.76kgs



UI-5302
Air Jitterbug Sander

Sanding Pad:80*100mm

Free Speed:12000rpm
AVG. Air Consumption:4.5cfm
Air Pressure:90psi/ 6.3bar
Air Inlet:1/4"
Weight:20lbs/0.91kgs



UI-5303
10MM Air Belt Sander

Belt Size:10*330mm

Free Speed:16000rpm
AVG. Air Consumption:6.0cfm
Air Pressure:90psi/ 6.3bar
Air Inlet:1/4"
Weight:2.1lbs/0.95kgs



UI-5303L
10MM Long Reach
Air Belt Sander

Belt Size:10*600mm

Free Speed: 16000rpm
AVG Air Consumption:6.0cfm
Air Pressure:90psi/ 6.3bar
Air Inlet:1/4"
Weight:2.16lbs/0.98kgs



UI-5304
20MM Air Belt Sander

Belt Size:20*520mm

Free Speed:16000rpm
AVG Air Consumption:6.0cfm
Air Pressure:90psi/ 6.3bar
Air Inlet:1/4"
Weight:3.1lbs/1.4kgs

AIR DIE GRINDER



UI-3101
1/4" Mini Air Die Grinder

Collet: 1/4"(6mm)

Free Speed: 25000rpm
AVG. Air Consumption: 4.5cfm
Air Pressure: 90psi/ 6.3bar
Air Inlet: 1/4"
Weight: 0.71lbs/0.32kgs



UI-3102
1/4" Mini Air Die Grinder

Collet: 1/4"/1/8"(6mm/3mm)

Free Speed: 25000rpm
AVG. Air Consumption: 4.5cfm
Air Pressure: 90psi/ 6.3bar
Air Inlet: 1/4"
Weight: 0.82lbs/0.37kgs



UI-3103
1/4" Air Die Grinder

Collet: 1/4"/1/8"(6mm/3mm)

Free Speed: 22000rpm
AVG. Air Consumption: 6.0cfm
Air Pressure: 90psi/ 6.3bar
Air Inlet: 1/4"
Weight: 1.25lbs/0.57kgs



UI-3104
1/4" Air Die Grinder

Collet: 1/4"/1/8"(6mm/3mm)

Free Speed: 20000rpm
AVG. Air Consumption: 4.3cfm
Air Pressure: 90psi/ 6.3bar
Air Inlet: 1/4"
Weight: 1.08lbs/0.49kgs



UI-3106
1/4" Mini Extended 6" Air Die Grinder

Collet: 1/4"(6mm)

Free Speed: 25000rpm
AVG. Air Consumption: 3.2cfm
Air Pressure: 90psi/ 6.3bar
Air Inlet: 1/4"
Weight: 1.50lbs/0.68kgs



UI-3107
Micro Air Die Grinder

Collet: 1/8"(3mm)
Free Speed: 65000rpm

AVG. Air Consumption: 2.0cfm
Air Pressure: 90psi/ 6.3bar
Air Inlet: 1/4"
Length: 27.5"18"5cm
Weight: 0.44lbs/0.2kgs



UI-3108
Micro Air Die Grinder

Collet: 1/8"(3mm)
Free Speed: 54000rpm

AVG. Air Consumption: 2.0cfm
Air Pressure: 90psi/ 6.3bar
Air Inlet: 1/4"
Length: 34"20"5cm
Weight: 0.44lbs/0.2kgs



UI-3107K
Micro Air Die Grinder Kit

1PC Micro Die Grinder UI-3107
1PC Oil Pot
1PC Mini Oiler
2PC Hand Wrenches
1PC Nipple



UI-3108K
Micro Air Die Grinder Kit

1PC Micro Die Grinder UI-3108
1PC Oil Pot
1PC Mini Oiler
2PC Hand Wrenches
1PC Nipple
10PC Grinding Stones



UI-3201
1/4" Heavy Duty Air Die Grinder

Collet: 1/4"/1/8"(6mm/3mm)

Free Speed: 25000rpm
AVG. Air Consumption: 3.0cfm
Air Pressure: 90psi/ 6.3bar
Air Inlet: 1/4"
Weight: 1.0lbs/0.45kgs



UI-3202
1/4" Heavy Duty Air Angle Die Grinder

Collet: 1/4"/1/8"(6mm/3mm)

Free Speed: 15000rpm
AVG. Air Consumption: 3.0cfm
Air Pressure: 90psi/ 6.3bar
Air Inlet: 1/4"
Weight: 1.25lbs/0.57kgs



UI-4101/4102
4" (5") Air Angle Grinder w/Lever Type

Capacity: 4"(100mm)/5"(125mm)

Free Speed: 10000rpm
AVG. Air Consumption: 8.0cfm
Air Pressure: 90psi/ 6.3bar
Air Inlet: 1/4"
Weight: 4.03lbs/1.83kgs



UI-4103/4104
4" (5") Air Angle Grinder w/Roll Type

Capacity: 4"(100mm)/5"(125mm)

Free Speed: 11000rpm
AVG. Air Consumption: 8.25cfm
Air Pressure: 90psi/ 6.3bar
Air Inlet: 1/4"
Weight: 4.03lbs/1.83kgs



UI-4105
7" Air Angle Grinder

Capacity: 7"(180mm)

Free Speed: 7000rpm
AVG. Air Consumption: 8.7cfm
Air Pressure: 90psi/ 6.3bar
Air Inlet: 3/8"
Weight: 5.94lbs/2.7kgs

AIR DRILL & OTHER AIR TOOL



UI-6101
3/8" Air Drill Reversible

Drilling Cap: 3/8"

Free Speed: 1800rpm
AVG Air Consumption: 4.5cfm
Air Pressure: 90psi/ 6.3bar
Air Inlet: 1/4"
Weight: 2.42lbs/1.1kgs



UI-6102
1/2" Air Drill Reversible

Drilling Cap: 1/2"

Free Speed: 700rpm
AVG Air Consumption: 4.0cfm
Air Pressure: 90psi/ 6.3bar
Air Inlet: 1/4"
Weight: 3.54lbs/1.61kgs

AIR DRILL & OTHER AIR TOOL



UI-6103
3/8" Air Drill Reversible
Drilling Cap:3/8"

Free Speed:1800rpm
AVG Air Consumption:4.5cfm
Air Pressure:90psi/ 6.3bar
Air Inlet:1/4"
Weight:2.42lbs/1.1kgs



UI-6104
1/2" Air Drill Reversible
Drilling Cap:1/2"

Free Speed:700rpm
AVG Air Consumption:4.0cfm
Air Pressure:90psi/ 6.3bar
Air Inlet:1/4"
Weight:3.43lbs/1.56kgs



UI-6105
3/8" In Line Air Drill
Drilling Cap:3/8"

Free Speed:2500rpm
AVG Air Consumption:4.5cfm
Air Pressure:90psi/ 6.3bar
Air Inlet:1/4"
Weight:1.98lbs/0.9kgs



UI-7201
Air Screwdriver
Hex Shank:1/4"(6.35mm)
Free Speed:10000rpm

Max Torque:34N-m/25ft-lb
AVG. Air Consumption:2.0cfm
Air Pressure:90psi/ 6.3bar
Air Inlet:1/4"
Weight:1.54lbs/0.70kgs



UI-7202
Air Screwdriver
Hex Shank:1/4"(6.35mm)
Free Speed:11000rpm

Max Torque:52N-m/38ft-lb
AVG. Air Consumption:2.0cfm
Air Pressure:90psi/ 6.3bar
Air Inlet:1/4"
Weight:1.54lbs/0.70kgs



UI-8101
3" Air Cut-off Tool
Capacity:3"(76mm)

Free Speed:20000rpm
AVG. Air Consumption:5.5cfm
Air Pressure:90psi/ 6.3bar
Air Inlet:1/4"
Weight:1.67lbs/0.76kgs



UI-8102
Air Body Saw
Stroke Per Min.:9000bpm

Saw Stroke:1.5mm
AVG. Air Consumption:3.0cfm
Air Pressure:90psi/ 6.3bar
Air Inlet:1/4"
Weight:1.43lbs/0.65kgs



UI-9103-5
Air Grease Gun w/4PC Accessories

1 PC Air Grease Gun UI-9103
1 PC Handle
1 PC Rubber Tube
1 PC Aluminum Tube
1 PC Quick Coupler

AIR TOOL KIT



UI-003K
8PCS 3/4" Air Impact Sockets Set
17, 19, 22, 24, 27, 32, 36, 38mm



UI-004K
8PCS 1" Air Impact Sockets Set
21, 22, 24, 27, 32, 33, 38, 41mm



UI-1002K
17PCS 1/2" Air Impact Wrench Tool Kit
1PC UI-1002 Air Impact Wrench
10PCS Impact Socket:
9,10,11,13,14,17,19,22,24,27mm

1PC 1/2" dr.5"Extension Bar
1PC Oil Pot
1PC Air Nipple
1PC Mini Oiler
1PC 4mm Hex Key Wrench
1PC Blow Mold Case



UI-1003K
13PCS 1/2" Air Impact Wrench Tool Kit
1PC UI-1003 Air Impact Wrench
8PCS Impact Socket:

10,11,13,14,17,19,22,24mm
1PC Extension Bar
1PC Air Nipple
1PC Mini Oiler
1PC Blow Mold Case



UI-1004K
13PCS 1/2" Air Impact Wrench Tool Kit
1PC UI-1004 Air Impact Wrench
8PCS Impact Socket:

10,11,13,14,17,19,22,24mm
1PC Extension Bar
1PC Air Nipple
1PC Mini Oiler
1PC Blow Mold Case



UI-1005K
15PCS 1/2" Air Impact Wrench Tool Kit
1PC UI-1005 Air Impact Wrench
10PCS Impact Socket:

9,10,11,13,14,17,19,22,24,27mm
1PC Extension Bar
1PC Air Nipple
1PC Mini Oiler
1PC Blow Mold Case



UI-1008K
13PCS 1/2" Air Impact Wrench Tool Kit
1PC UI-1008 Air Impact Wrench
8PCS Impact Socket:

10,11,13,14,17,19,22,24mm
1PC Extension Bar
1PC Air Nipple
1PC Mini Oiler
1PC Blow Mold Case



UI-1009K
15PCS 1/2" Air Impact Wrench Tool Kit
1PC UI-1009 Air Impact Wrench
10PCS Impact Socket:

9,10,11,13,14,17,19,22,24,27mm
1PC Extension Bar
1PC Air Nipple
1PC Mini Oiler
1PC Blow Mold Case



UI-1102K
6PCS 3/4" Air Impact Wrench Tool Kit

1PC UI-1102 Air Impact Wrench
2PCS 3/4"Dr.sockets:32,36mm
1PC Air Nipple
1PC Hex Key Wrench
1PC Blow Mold Case



UI-3103K
16PCS Air Die Grinder Tool Kit
1PC UI-3103 Air Die Grinder
5PCS 1/4"(6mm)
Mounted Grinding Stones

5PCS 1/8"(3mm)Mounted
Grinding Stones
2PCS Hand Wrenches
1PC Air Nipple
1PC 3mm(1/8") Collet
1PC Blow Mold Case